


SCHOOL IMMUNIZATIONS



DON'T WAIT TO UPDATE




BIRTH

HEP B



1 MONTH



2 MONTHS

HEP B
RV *
DTaP
HIB
PCV13
IPV



4 MONTHS

RV *
DTaP
HIB
PCV13
IPV



6 MONTHS

HEP B
RV *
DTaP
HIB
PCV13
IPV



12 MONTHS

HIB
PCV13
MMR
DTaP
VARICELLA
HEP A



15 MONTHS

→ FLU after 6 months and every year after.



18 MONTHS

HEP A



19-23 MONTHS



2-3 YEARS



4-6 YEARS

DTaP
IPV
MMR
VARICELLA



7-10 YEARS



11-15 YEARS

Tdap
HPV *
MCV4



16-18 YEARS

MENB *
MCV4

→ FLU after 6 months and every year after.

* Vaccines not required for school but recommended by Georgia Department of Public Health

Two doses given at least four weeks apart are recommended for children aged 6 months through 8 years of age who are getting an influenza (flu) vaccine for the first time and for some other children in this age group

If your child has any medical conditions that put him/her at risk for infection or is traveling outside the United States, talk to your child's doctor about additional vaccines that they may need.

**STERLING
GROUP**
KIRK CLINIC

8 Laurel Court
Moultrie, Ga 31768
229-891-9016

**STERLING
GROUP**
PRIMARY CARE

6 Hospital Park
Moultrie, Ga 31768
229-985-3320